Brain Research Bulletin

VOLUME 52, 2000
LIST OF CONTENTS,
AUTHOR INDEX, AND KEYWORD INDEX

ELSEVIER

Brain Research Bulletin

Founded by MATTHEW J. WAYNER

Editor-in-Chief:
STEPHEN B. DUNNETT
School of Biosciences, Cardiff University
Biomedical Science Building, Museum Avenue
PO Box 911, Cardiff CF1 3US
Wales, UK

Section Editors

Cellular and Molecular Neurobiology
Ian S. Zagon, Department of Neuroscience and Anatomy, M.S. Hershey Medical Center, 500 University Drive, Hershey, PA 17033, USA

Cognition and Behaviour
Stephen B. Dunnett, MRC Cambridge Centre for Brain Repair, University of Cambridge Forvie Site, Robinson Way, Cambridge CB2 2PY, UK

Development and Regeneration
Andrew D. McClellan, Division of Biological Science, 105 Lefevre Hall, University of Missouri, Columbia, MO 65211-6190, USA

Functional and Molecular Neuroanatomy, and Experimental Neuropathology
Marina Bentivoglio, Department of Morphological and Biomedical Sciences, Section of Anatomy and Histology, Medical Faculty, University of Verona, Strada Le Grazie 8, 37134 Verona, ITALY

Neuropharmacology and Neuroendocrinology
E. Sylvester Vizi, Institute of Experimental Medicine, Hungarian Academy of Sciences, H-1450 Budapest, P.O.B. 67, HUNGARY

Neurophysiology and Computational Neuroscience
Adonis Moschovakis, Institute of Applied and Computational Mathematics, F.O.R.T.H., P.O. Box 1527, Heraklion, 71110, Crete, GREECE

Normal and Pathological Human Brain Function
Pietro Pietrini, Institute of Medical Biochemistry, Medical School, University of Pisa, Via Roma, 55, I-56126 Pisa, ITALY

Editorial Advisory Board

E. ABERCROMBIE, Rutgers University, Newark, NJ
J. AGGLETON, University of Wales, Cardiff, Wales
C. ASANUMA, National Institute of Health Animal Center, Poolesville, MD
A. BJÖRKLUND, University of Lund, Lund, Sweden
E. BUHL, University of Leeds, Leeds, UK
A. H. BURKHALTER, Washington University Medical School, St. Louis, MO
I. CREESE, Rutgers University, Newark, NJ
R. DRUCKER-COLIN, Universidad Nacional Autonoma De Mexico, Mexico City, Mexico
H. C. FIBIGER, University of British Columbia, Vancouver, Canada
F. H. GAGE, University of California at San Diego, La Jolla, CA
A. P. GEORGOPOULOS, University of Minnesota Medical School, Minneapolis, MN
B. GHETTI, Indiana University School of Medicine, Indianapolis, IN
S. R. GOODMAN, University of South Alabama, Mobile, AL
A. GRANTYN, CNRS Lab de Physiologie Neurosensorielle, Paris, France
H. J. GROENEWEGEN, Vrije Universiteit, Amsterdam, The Netherlands
M. HASTINGS, University of Cambridge, Cambridge, UK
A. R. HARVEY, University of Western Australia, Perth, Australia
M. A. HERKENHAM, National Institute of Mental Health, Bethesda, MD
T. KANEKO, Kyoto University, Kyoto, Japan
B. E. KOLB, University of Lethbridge, Alberta, Canada
J. H. KORDOWER, Rush Presbyterian Medical Center, Chicago, IL
G. K. KOSTOPOULOS, University of Patras Medical School, Patras, Greece
K. S. KRISTENSSON, Karolinska Institute, Stockholm, Sweden
G. KUNOS, National Institute for Alcohol Abuse & Alcoholism, Bethesda, MD
J. Y. KUWADA, University of Michigan, Ann Arbor, MI
L. LÉNÁRD, Pecs University Medical School, Pecs, Hungary
A. A. LEV-TOV, Hebrew University Medical School, Jerusalem, Israel
B. LICHARDUS, Slovak Academy of Sciences, Bratilava, Slovakia
G. B. MAKARA, Hungarian Academy of Sciences, Budapest, Hungary
P. J. McLAUGHLIN, M.S. Hershey Medical Center, Hershey, PA
R. D. MYERS, East Carolina University, Greenville, NC
M. J. O'DONOVAN, NINDS/NIH, Bethesda, MD
M. L. OSTER-GRANITE, National Institute of Child Health & Human Development, Bethesda, MD
M. PETRIDES, McGill University, Montreal, Canada
C. R. PLATA-SALAMÁN, The R.W. Johnson Pharmaceutical Research Institute, Spring House, PA
R. RÜEBSAMEN, University of Leipzig, Leipzig, Germany
P. R. SANBERG, University of South Florida, Tampa, FL
I. SEGEV, Hebrew University, Jerusalem, Israel
H. SERSHEN, Nathan S. Kline Institute, Orangeburg, NY
T. SLOTKIN, Duke University Medical Center, Durham, NC
L. R. SQUIRE, Veterans Administration Medical Center, San Diego, CA
J. D. STEEVES, University of British Columbia, Vancouver, Canada
L. SWANSON, University of Southern California, Los Angeles, CA
R. WEINBERG, University of North Carolina at Chapel Hill, Chapel Hill, NC
P. WINN, University of St. Andrews, Fife, UK

BRAIN RESEARCH BULLETIN

Publishing Office:
Elsevier Science Inc., 655 Avenue of the Americas, New York, NY, 10010-5107, USA, E-mail Address: ESUK.USA@ELSEVIER.COM
Subscription and Advertising Office:
Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA

Published 18 per annum (monthly with 2 issues published in January, March, May, July, September, and November).

Annual Institutional Subscription Rate (2000): For customers in Europe, The CIS and Japan: Institutional rate; NLG 5050.00. Personal rate: NLG 858.00. For customers in all other countries: Institutional rate: US$2563.00 Personal rate: US$436.00. Prices include postage and are subject to change without notice. For orders, claims, product enquiries (no manuscript enquiries) please contact the Customer Support Department at the Regional Sales Office nearest to you: New York: Elsevier Science, P.O. Box 945, New York, NY 10010. Tel: (212) 633-3730. Toll Free (for customers in North America): 1-888-4ES-INFO, Fax: (212) 633-3680, E-mail: usinfo-f@elsevier.com. Amsterdam: Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, Tel: (+31) 20-485-3757, Fax: (+31) 20-485-3432, E-mail: nlinfo-f@elsevier.nl. Tokyo: Elsevier Science, 9-15, Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan, Tel: (+81) 3-5561-5033, Fax: (+81) 3- 5561-5047, E-mail: kyf04035@niftyserve.or.jp. Singapore: Elsevier Science, No 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192, Tel: (+65) 434-3727, Fax: (+65) 337-2230, E-mail: asiainf@elsevier.com.sg.

North and South America: Please direct inquiries regarding the placement of advertising in this journal to Jay Allan Feinman, Advertising Sales Dept., Elsevier Science Inc. 655 Avenue of the Americas, New York, NY 10010-5107. Tel: (212) 633-3689 Fax: (212) 633-3820 E-Mail: J. Feinman@Elsevier.com. International: Advertising Dept., Elsevier Science, The Boulevard, Langford Lane, Kidlington, Oxford, OX5 1GB United Kingdom. Tel: (144)(0)1865 843565; Fax: (81)(3)1865 843976; e-mail: media@elsevier.co.uk Japan: Advertising Dept., Elsevier Science Japan. Tel: (81)(3)5561 5033; Fax: (81)(3)5561-5047. Rio de Janeiro: Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro-RJ, Brazil; Tel: (+55) 21-509-5340, Fax: (+55) 21-507-1991, E-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above].
Please direct inquiries regarding reprints of 100 or less to the author. Requests for quantities of more than 100 copies should be directed to Anne Rosenthal, Commercial Reprints Dept., Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107. Tel: (212) 633-3813 Fax: (212) 633-3820.

Brain Research Bulletin is an official journal of the International Behavioral Neuroscience Society. For information about the society, please contact: Marianne Van Wagner, IBNS Central Office, Division of Life Sciences, The University of Texas @ San Antonio, 6900 North Loop 1604 West, San Antonio, TX 78249-0662, USA. Members of the International Behavioral Neuroscience Society may order personal subscriptions at a concessional rate; details of this rate are available upon request.

Brain Research Bulletin, Vol. 52, No. 6, pp. 605–610, 2000
Copyright © 2000 Elsevier Science Inc.
Printed in the USA. All rights reserved
0361-9230/00/$–see front matter

ELSEVIER

SSDI 0361-9230

CONTENTS
VOLUME 52, 2000

CONTENTS VOLUME 52 NUMBER 1 MAY 1 2000

Review Article

The blood–nerve barrier: Enzymes, transporters and receptors—A comparison with the blood–brain barrier.
Allt, G., and J. G. Lawrenson 1

Articles

Long-term theophylline treatment changes the effects of angiotensin II and adenosinergic agents on the seizure threshold.
Tchekalarova, J., T. Kambourova, and V. Georgiev 13

κ-opioid agonist stimulated regional distribution of [^{35}S]GTPγS binding in butorphanol continuously infused rat.
Park, Y., C.-G. Jang, I. K. Ho, and K. H. Ko 17

Clomethiazole protects against hemineglect in a primate model of stroke.
Marshall, J. W. B., A. J. Cross, D. M. Jackson, A. R. Green, H. F. Baker, and R. M. Ridley 21

Peripheral NMDA and non-NMDA receptors contribute to nociception: An electrophysiological study.
Wang, C.-Y., Y.-W. Wang, and Z.-Q. Zhao 31

Diminished central fatigue by inhibition of the L-system transporter for the uptake of tryptophan.
Yamamoto, T., and E. A. Newsholme 35

Deramciclane inhibits *N*-methyl-D-aspartate receptor function.
Kovács, I., É. Szárics, N. Skuban, and J. Kardos 39

Effects of the anion channel blocker DIDS on ouabain- and high K^+-induced release of amino acids from the rat cerebral cortex.
Estevez, A. Y., D. Song, J. W. Phillis, and M. H. O'Regan 45

Mice transgenic for the human Huntington's disease mutation have reduced sensitivity to kainic acid toxicity.
Morton, A. J., and W. Leavens 51

Interferon-γ-responsive neuronal sites in the normal rat brain: Receptor protein distribution and cell activation revealed by Fos induction.
Robertson, B., G.-Y. Kong, Z.-C. Peng, M. Bentivoglio, and K. Kristensson 61

CONTENTS VOLUME 52, NUMBER 2 MAY 15 2000

Review Article

Adenosine, the imperfect endogenous anti-ischemic cardio-neuroprotector.
Picano, E., and M. P. Abbracchio 75

Articles

Lesion of the bed nucleus of the stria terminalis enhances learned despair.
Schulz, D., and R. S. Canbeyli 83

Kainic acid induces distinct types of epileptiform discharge with differential involvement of hippocampus and neocortex.
Medvedev, A., L. Mackenzie, J. J. Hiscock, and J. O. Willoughby 89

Blocking the trigeminal EPSP in rat abducens motoneurons *in vivo* with the AMPA antagonists NBQX and GYKI 53655.
Ruiz, A., and J. Durand 99

Glial cell line-derived neurotrophic factor in the rat pituitary gland.
Saland, L. C., L. A. Cunningham, C. Su, M. Morales, and J. Gaddy 109

Local injection of pertussis toxin attenuates morphine withdrawal excitation of rat supraoptic nucleus neurones.
Brown, C. H., L. E. Johnstone, N. P. Murphy, G. Leng, and J. A. Russell 115

Chronic intracerebroventricular insulin attenuates the leptin-mediated but not alpha melanocyte stimulating hormone increase in sympathetic and cardiovascular responses.
Dunbar, J. C., and H. Lu 123

Kainate receptor-mediated activation of the AP-1 transcription factor complex in cultured rat cerebellar granule cells.
Kovács, A. D., G. Cebers, and S. Liljequist 127

Opioid regulation of gonadotropin release: Role of signal transduction cascade.
Sharma, P., S. Kumar Bhardwaj, S. Kaur Sandhu, and G. Kaur 135

Differential potentiative effects of glutamate receptor antagonists in the production of antinociception induced by opioids administered intrathecally in the mouse.
Suh, H.-W., D.-K. Song, S.-O. Huh, and Y.-H. Kim 143

Antioxidants prevent elevation in $[Ca^{2+}]_i$ induced by low extracellular magnesium in cultured canine cerebral vascular smooth muscle cells: Possible relationship to Mg^{2+} deficiency-induced vasospasm and stroke.
Li, W., T. Zheng, B. T. Altura, and B. M. Altura 151

CONTENTS VOLUME 52 NUMBER 3 JUNE 1 2000

Review Article

Nitric oxide: An inhibitor of NF-κB/Rel system in glial cells.
Colasanti, M., and T. Persichini 155

Articles

Medullary noradrenergic neurons projecting to the bed nucleus of the stria terminalis express mRNA for the NMDA-NR1 receptor.
Forray, M. I., K. Gysling, M. E. Andrés, G. Bustos, and S. Araneda 163

Induction and adaptation of Fos expression in the rat brain by two types of acute restraint stress.
Chowdhury, G. M. I., T. Fujioka, and S. Nakamura 171

The effect of pyramidal stimulation upon tail muscle motoneurons in the decerebrate cat.
Shikaki, N., N. Wada, M. Tokuriki, S. Sugita, and K. Mammba 183

Immunohistochemical estimation of brain choline acetyltransferase and somatostatin related to the impairment of avoidance learning induced by thiamine deficiency.
Nakagawasai, O., T. Tadano, S. Hozumi, K. Tan-No, F. Niijima, and K. Kisara 189

Serotonergic and kynurenic pathways in rats exposed to foot shock.
Pawlak, D., Y. Takada, T. Urano, and A. Takada 197

Phospholipid composition and levels are not altered in fibroblasts bearing presenilin-1 mutations.
Murphy, E. J., H. Zhang, S. Sorbi, S. I. Rapoport, and G. E. Gibson 207

Inhibition of striatal dopamine release by glycine and glycyldodecylamide.
Javitt, D. C., H. Sershen, A. Hashim, and A. Lajtha 213

An autoradiographic study of [^{3}H]AMPA receptor binding and *in situ* hybridization of AMPA sensitive glutamate receptor A (GluR-A) subunits following morphine withdrawal in the rat brain.
Jang, C.-G., R. W. Rockhold, and I. K. Ho 217

Brain interleukin-1β and tumor necrosis factor-α are involved in lipopolysaccharide-induced delayed rectal allodynia in awake rats.
Coelho, A.-M., J. Fioramonti, and L. Bueno 223

Dehydroepiandrosterone sulfate (DHEAS) counteracts decremental effects of corticosterone on dentate gyrus LTP. Implications for depression.
Kaminska, M., J. Harris, K. Gijsbers, and B. Dubrovsky 229

CONTENTS VOLUME 52 NUMBER 4 JULY 1 2000

Articles

Hypothalamic c-*fos*-like immunoreactivity in high-fat diet-induced obese and resistant mice.
Xin, X., L. H. Storlien, and X.-F. Huang 235

Sexually dimorphic cognitive style in rats emerges after puberty.
Kanit, L., D. Taskiran, Ö. A. Yilmaz, B. Balkan, S. Demirgören, J. J. Furedy, and S. Pögün 243

Fos induction in the Japanese quail brain after expression of appetitive and consummatory aspects of male sexual behavior.
Tlemçani, O., G. F. Ball, E. D'Hondt, F. Vandesande, P. J. Sharp, and J. Balthazart 249

The effect of isoflurane on the release of [^{3}H]-acetylcholine from rat brain cortical slices.
Gomez, R. S., M. V. Gomez, and M. A. M. Prado 263

Lateral parabrachial nucleus lesions in the rat: Aversive and appetitive gustatory conditioning.
Reilly, S., and R. Trifunovic 269

Metabotropic glutamate receptor subtypes involved in cardiovascular regulation in the rostral ventrolateral medulla of rats.
Tsuchihashi, T., Y. Liu, S. Kagiyama, K. Matsumura, I. Abe, and M. Fujishima 279

Previous exposure to footshock stress attenuates nicotine-induced serotonin release in rat striatum during the subsequent stress.
Takahashi, H., Y. Takada, N. Nagai, T. Urano, and A. Takada 285

An angiotensin system in the anterior hypothalamic area anterior is involved in the maintenance of hypertension in spontaneously hypertensive rats.
Kubo, T., H. Yamaguchi, M.Tsujimura, Y. Hagiwara, and R. Fukumori 291

Comparison of G-protein activation in the brain by μ-, δ-, and κ-opioid receptor agonists in μ-opioid receptor knockout mice.
Park, Y., T. Ma, S. Tanaka, C.-G. Jang, H. H. Loh, K. H. Ko, and I. K. Ho 297

Luteinizing hormone-releasing hormone and oxytocin response to hyperosmotic stimulation: *In vitro* study.
Bojanowska, E., M. Juszczak, J. W. Guzek, and R. Dabrowski 303

CONTENTS VOLUME 52 NUMBER 5 JULY 15 2000

Special Section: Proceedings of the Human Cerebral Cortex: From Gene to Structure and Function, Meeting at the Royal Netherlands Academy of Science, Amsterdam on 25 April 1998

Guest Editors: Dr. Nenad Bogdanovic and Bente Pakkenberg

Intrinsic excitatory connections in the prefrontal cortex and the pathophysiology of schizophrenia.
Lewis, D. A., and G. Gonzalez-Burgos 309

Connections underlying the synthesis of cognition, memory, and emotion in primate prefrontal cortices.
Barbas, H. 319

Prefrontal neurons in networks of executive memory.
Fuster, J. M. 331

Articles

Treadmill exercise training augments brain norepinephrine response to familiar and novel stress.
Dishman, R. K., K. J. Renner, J. E. White-Welkley, K. A. Burke, and B. N. Bunnell ... 337

Expression of Ca^{2+}-binding protein regucalcin in rat brain neurons: Inhibitory effect on protein phosphatase activity.
Yamaguchi, M., T. Hamano, and H. Misawa 343

Vestibular-induced behaviour of rats born and raised in hypergravity.
Wubbels, R. J., and H. A. A. de Jong 349

Hippocampal γ–aminobutyric acid transporter alterations following focal epileptogenesis induced in rat amygdala.
Ueda, Y., and L. J. Willmore 357

A protein kinase inhibitor, H-7, blocks naloxone-precipitated changes in dopamine and its metabolites in the brains of opioid-dependent rats.
Tokuyama, S., I. K. Ho, and T. Yamamoto 363

Increase in vulnerability of middle-aged rat brain to lead by cerebral energy depletion.
Yun, S.-W., U. Gärtner, T. Arendt, and S. Hoyer 371

Fos expression and 2-deoxyglucose uptake following seizures in developing genetically epilepsy-prone rats.
Eells, J. B., R. W. Clough, J. W. Miller, P. C. Jobe, and R. A. Browning 379

Inhibition of microglial cell activation by cortisol.
Drew, P. D., and J. A. Chavis 391

Distribution of $GABA_B$ receptor protein in somatosensory cortex and thalamus of adult rats and during postnatal development.
Princivalle, A., M. C. Regondi, C. Frassoni, N. G. Bowery, and R. Spreafico 397

Repeated cocaine treatment alters tyrosine hydroxylase in the rat nucleus accumbens.
Todtenkopf, M. S., K. R. De Leon, and J. R. Stellar 407

Electrical stimulation of the midbrain tectum enhances dopamine release in the frontal cortex.
Cuadra, G., A. Zurita, C. E. Macedo, V. A. Molina, and M. L. Brandão 413

Differential effects of parafascicular electrical stimulation on active avoidance depending on the retention time, in rats.
Sos-Hinojosa, H., A. Vale-Martínez, G. Guillazo-Blanch, M. Martí-Nicolovius, R. Nadal-Alemany, and I. Morgado-Bernal 419

Ketamine blockage of both tetrodotoxin (TTX)-sensitive and TTX-resistant sodium channels of rat dorsal root ganglion neurons.
Zhou, Z.-S., and Z.-Q. Zhao 427

Differential effects of colchicine on the induction of nitric oxide synthase in neurons containing progesterone receptors of the guinea pig hypothalamus.
Dufourny, L., D. Leroy, and M. Warembourg 435

CONTENTS VOLUME 52 NUMBER 6 AUGUST 2000

History of Neuroscience

History of Neuroscience: The Brain Commission of the International Association of Academies: The first international society of neurosciences.
Richter, J. 445

Review Articles

Role of nitric oxide in the regulation of monoaminergic neurotransmission.
Kiss, J. P. 459

The question of feedback at the somadendritic region and antidepressant drug action.
Kalsner, S. 467

Articles

Why move the eyes if we can move the head?
Delgado-García, J. M. 475

Prolactin and corticosterone secretion in response to acute stress after paraventricular nucleus lesion by ibotenic acid.
Caldeira, J. C., and C. R. Franci 483

Participation of alpha-1 and alpha-2 adenoceptors of the lateral hypothalamic area in water intake, and renal sodium, potassium and urinary volume excretion induced by central administration of angiotensin II.
Saad, W. A., I. F. M. S. Guarda, A. C. Ferreira, L. A. A.Camargo, A. F. Saad Neto, T. A. F. B. dos Santos, and W. A. Saad 491

Localization of amino acids, neuropeptides and cholinergic markers in neurons of the septum-diagonal band complex projecting to the retrosplenial granular cortex of the rat.
Gonzalo-Ruiz, A., and L. Morte 499

AMPA receptor antagonists, GYKI 52466 and NBQX, do not block the induction of long-term potentiation at therapeutically relevant concentrations.
Kapus, G., J. I. Székely, J. Durand, A. Ruiz, and I. Tarnawa 511

TMT, a predator odor, elevates mesoprefrontal dopamine metabolic activity and disrupts short-term working memory in the rat.
Morrow, B. A., R. H. Roth, and J. D. Elsworth 519

Catecholamines inhibit microglial nitric oxide production.
Chang, J. Y., and L.-Z. Liu 525

Effects of adrenergic and serotonergic agonists in the amygdala on the hypothalamo-pituitary-adrenocortical axis.
Feldman, S., M. E. Newman, and J. Weidenfeld 531

The organization of the spinocerebellar tract neurons in the chicken.
Yamamoto, M., H. Kitagawa, T. Imagawa, and M. Uehara 537

Differential innervation of the goldfish tonic red muscles and twitch white muscles by neuropeptide-immunoreactive motoneurons.
Funakoshi, K., T. Kadota, Y. Atobe, M. Nakano, M. Tsukagoshi, R. C. Goris, and R. Kishida 547

Purine-induced alterations of dopamine metabolism in rat pheochromocytoma PC12 cells.
Loeffler, D. A., D. M. Camp, P. L. Juneau, E. Harel, and P. A. LeWitt 553

Serotonin potentiates the response of neurons of the superficial laminae of the rat spinal dorsal horn to γ-aminobutyric acid.
Li, H., B. Lang, J.-F. Kang, and Y.-Q. Li 559

Dopamine and 7-OH-DPAT may act on D_3 receptors to inhibit tuberoinfundibular dopaminergic neurons.
Lin, J.-Y., S.-H. Yen, K.-R. Shieh, S.-L. Liang, and J.-T. Pan 567

Anaphylactoid reactions activate hypothalamo-pituitary-adrenocortical axis: Comparison with endotoxic reactions.
Földes, A., Z. Némethy, O. Szalay, and K. J. Kovács 573

Neuroethological analysis of the effects of spider venom from *Scaptocosa raptoria* (Lycosidae: Araneae) microinjected in the lateral ventricle of Wistar rats.
Ribeiro, A. M., W. F. dos Santos, and N. Garcia-Cairasco 581

Proton magnetic resonance spectroscopy of patients with parkinsonism.
Abe, K., H. Terakawa, M. Takanashi, Y. Watanabe, H. Tanaka, N. Fujita, N. Hirabuki, and T. Yanagihara 589

Effect of alcohols on G-protein coupling of serotonin$_{1A}$ receptors from bovine hippocampus.
Harikumar, K. G., and A. Chattopadhyay 597

Volume 52 List of Contents 603

Author Index 611

Keyword Index 613